

## Baby scale **KERN MBC(SK)**

Elegantly-shaped baby scale – approved as a medical device and with EC type approval class III for professional use in medical diagnostics



Your KERN specialist dealer:

---



### Features

- Verification class III (verification is optional)
- Approved as a medical device according to 93/42/EEC
- Popular in paediatrics, because it has a large weighing pan, which is ergonomically rounded and therefore ideally suited for weighing neonates
- Special function for neonatology centres: Difference function for calculating the weight gain before and after feeding
- Robust ABS plastic. For easy and hygienic cleaning
- Secure and non-slip positioning with rubber feet
- Vibration-free weighing: Vibrations are filtered out so that a stable weight is obtained, ideal for restless babies
- Data hold function: When the weighing value remains unchanged the weight indicated on the display is automatically „frozen“ for 10 sec. until the HOLD key is pressed. This leaves sufficient time to read the weight in peace

### Technical data

- Backlit LCD display, digit height 25 mm
- Dimensions of tray WxDxH 600x280x55 mm
- Overall dimensions WxDxH 600x400x110 mm
- Overall dimensions incl. optional height rod WxDxH 890x470x175mm
- Mains adapter (external) included
- Net weight approx. 5.5 kg

### Accessories

- Mechanical height rod to fix to the scale, measuring range 80 cm, increments of 1 mm, **KERN MBC-A01**
- Carrying case for mobile use, only for models without height rod, **KERN MBC-A02**
- Rechargeable battery pack internal, operating time up to 40 h without backlight, charging time approx. 12 h, **KERN MBC-A03**

### STANDARD



### OPTION



### FACTORY



Within the EU, official verification is mandatory by law for scales that are intended for use as a medical device. Please add this to your order. We require the location of use and the post code for the verification.

Model	Weighing range	Readout	Verification value	Mandatory by law		Option	
				Verification		DKD Calibr. Certificate	
KERN	[Max] kg	[d] kg	[e] kg				
MBC 15K2DM	6   15	0,002   0,005	0,002   0,005	965-128		963-128	
MBC 20K10M	20	0,01	0,01	965-128		963-128	

### Pictograms:



#### Adjusting program (CAL):

For quick setting of the balance's accuracy. External adjusting weight required.



#### Vibration-free weighing:

Vibrations are filtered out so that a stable weight is obtained.



#### Mains adapter:

230V/50Hz in standard version for Germany. On request GB, AUS or USA version.



#### Rechargeable battery pack:

rechargeable set.



#### Package shipment:

The time required to manufacture the product internally is shown in days in the pictogram.



#### Warranty:

The warranty period is shown in the pictogram.



#### DKD calibration possible:

The time required for DKD calibration is shown in days in the pictogram.



#### Verification possible:

The time required for verification is specified in the pictogram.